

LESOTHO COMMUNICATIONS AUTHORITY

Application form for Aeronautical Earth Station Licence

30 Princess Margaret Road, Old Europa, Maseru Tel.: + 266 22224300

Postal Address: LCA, P.O. Box 15896, Maseru 100.

E-mail: licensing@lca.org.ls

Note: This form shall be completed by a person who has been duly authorised in writing to act as a representative of the Licensee¹. Any information requested which does not fit in the form may be included in an appendix to this form. You are advised to fill in **all the information** to avoid delays in the processing of your application.

1. PA	ARTICULARS OF AN	I APPLICANT						
1.1	Full Name of appli	cant						
	Abbreviated							
1.2	Name							
	D) . 1.4.1.1							
1.2	Physical Address							
1.3	of the business							
1.4	Postal Address Telephone							
1.5	Number							
1.7	e-mail							
1.8	State legal form of	applicant e.g. co	ompany, tru	st.				
	other		p, ,	,				
(Pleas	se attach a copy of o	company extra	cts, certifica	ate of i	ncorporation, cer	tified co	py of the	
consti	tution or founding	document						
1.9	If registered, off		on					
1.10	Registration Nu							
1.11	Date of registrat							
2. Al	PPLICATION INFOR	RMATION						
2.1	Purpose for whi	ch the						
	proposed comm	unication is						
	required							
2.2 Do you hold any other license								
	issued by the Au							
2.3	If so, what type of	of a licence?						
3. ST	TATION ADMINIST	RATION						
3.1	Station Location							
4. ST	TATION DETAILS							
	TE DETAILS							
	_							
5.1	Station Name							
5.2	Station Location	T 1 G		1	T			
5.3 5.4	Coordinates Elevation AMSL (n	Latitude, S			Longitude, E		<u> </u>	
5.4	Elevation AMSL (n		agnowtable	1				
J.J	Transportable	Radius if tran	isportable					
5.6	Building height (m			Ma	ast height (m)			

Form 025

¹ Attach certified ID/passport copy of the Director or authorized representative of the licensee.

5.7	Noise 1.Low Noise □ environment			2. Medium Noise □		3.	3. High Degree of Noise □					
6. EQUIPMENT INFORMATION												
6.1	Manufacturer											
6.2	Model											
6.3		Equipment Type: 1. Crystal 2. Solid state 3. Unknown 4. PLL Control 5. Synthesised										
6.4	Frequency Range (MHz): From to											
6.5		-	smitter 🗆			2.	Receiver		3	. Botł	ı 🗆	
6.6	Maximum Rat											
6.7	Transmit Pow	er (W)									
7. ANT	TENNA INFORMA	TION										
7.1	Manufactur	er										
7.2	Model											
7.3	Frequency I	Range	(MHz): F	rom				То				
7.4	Polarisation	l										
7.5	Gain (dB)	TX						RX				
7.6	Antenna hei	ght al	oove groun	d (m)								
7.7	Directivity			1. Dii	rectional 🗆 🗀			2. Omni-directional □				
7.8	Azimuth (de	egrees	s)									
7.9	Elevation (d											
7.10	Antenna Pa					-	-		•		able of attenuat	ion, in
			dB, against	t angle	, or pro	vide <u>c</u>	<u>alibratea</u>	<u>I</u> patter	n dia	gram	•	1
8. FRE	EQUENCY ASSI	GNME	ENT									
8.1	Requested f (MHz)	reque	ncy Range					1	to			
8.2	Necessary B	Necessary Bandwidth (MHz)										
8.3	Emission Cl	Emission Class (use the characters in										
	Annex 1 to des	Annex 1 to describe your signal)										
8.4	TX/RX				1. Tra	nsmitt	ter 🗆	2. Re	ceive	r 🗆	3. Both □	
8.5	Preferred Frequency (MHz)											
8.6	Line Loss (dB)											
8.7	Minimum Receive Signal (dBW)											
	(Protected Signal)											
9.1 Th	9. ACKNOWLEDGEMENT 9.1 The applicant acknowledges the statements in this form and accompanying documents are true and correct.											
Signat	SignatureDate											
	ames of signato											

ANNEX 1

First Character (Mandatory)

<u>First</u>	<u>Character [Mandatory]</u>
Α	Double sideband.
В	Independent sidebands.
C	Vestigial sideband.
D	Emission in which the main carrier is amplitude and angle modulated either simultaneously or in a pre-established sequence.
F	Frequency modulation.
G	Phase modulation.
Н	Single sideband, full carrier.
J	Single sideband, suppressed carrier.
K	Modulated in amplitude.
L	Modulated in width/duration.
M	Modulated in position/phase.
N	Emission of unmodulated carrier.
P	Sequence of unmodulated pulses.
Q	In which the carrier is angle modulated during the period of the pulse.
R	Single sideband, reduced or variable level carrier.
V	Which is a combination of the foregoing or is produced by other means.
W	Cases not covered above, in which an emission consists of the main carrier modulated, either simultaneously or in a pre-established
	sequence, in a combination of two or more of the following modes: amplitude, angle, pulse.
X	Cases not otherwise covered.

Second Character (Mandatory)

0	No modulating signal.
1	A single channel containing quantized or digital information without the use of a modulating sub-carrier. This excludes time-division
	multiplex.
2	A single channel containing quantized or digital information with the use of a modulating sub-carrier. This excludes time division
	multiplex.
3	A single channel containing analogue information.
7	Two or more channels containing quantized or digital information.
8	Two or more channels containing analogue information.
9	Composite system with one or more channels containing analogue quantized or digital information, together with one or more channels
	containing analogue information.
X	Cases not otherwise covered

Third Character (Mandatory)

	CHAIR MODEL (Frankamon) j					
Α	Telegraphy for aural reception.					
В	Telegraphy for automatic reception.					
C	Facsimile.					
D	Data transmission, telemetry, telecommand.					
E	Telephony (including sound broadcasting).					
F	Television (video).					
N	No information transmitted.					
W	Combination of the above.					
Y	Cases not otherwise covered					

Fourth Character (Optional)

Α	Two-condition code with elements of differing numbers and/or durations.
В	Two-condition code without elements of the same number and duration with error-correction.
С	Two-condition code with elements of the same number and duration with error-correction.
D	Four-condition code in which each condition represents a signal element (of one or more bits).
E	Multi-condition code in which each condition represents a signal element (of one or more bits).
F	Multi-condition code in which each condition or combination of conditions represents a character.
G	Sound of broadcasting quality (monophonic).
Н	Sound of broadcasting quality (stereophonic or quadrophonic).
J	Sound of commercial quality (excluding categories given in K and L below).
K	Sound of commercial quality with the use of frequency inversion or band-splitting.
L	Sound of commercial quality with separate frequency-modulated signals to control the level of demodulated signal.
M	Monochrome television (video only).
N	Colour television (video only).
W	Combination of the above.
X	Cases not otherwise covered.

Fifth Character (Optional)

N	No multiplexing employed.
С	Code division multiplex. (This includes bandwidth expansion techniques).
F	Frequency-division multiplex.
T	Time-division multiplex.
W	Combination of frequency-division multiplex and time-division multiplex.
X	Other types of multiplexing.

