

LESOTHO COMMUNICATIONS AUTHORITY

Application form for Private Network

Physical Address: 6th Floor, Moposo House, Kingsway Road, Maseru Tel.: + 266 22224300 Postal Address: LCA, P.O. Box 15896, Maseru 100. Fax: + (266) 22326081/22310984 E-mail: admin@lca.org.ls

a)																		
b)	<i>y</i>																	
	application.																	
1. PA	ARTICULARS OF	AN	APPLI	CAN	T													
1.1	Full Name of appl	licant	:															
1.2	Physical Address																	
1.3	Postal Address																	
1.4	Telephone Number																	
1.4	Telefax																	
1.6	e-mail																	
1.7	State legal form of	f app	licant e.s	g. cor	npa	ny,	trust	, othe	er									
(Please	e attach a copy of n				_	_				con	stitu	ıtion oı	foun	din	g doc	um	ent	
certifie	ed by two office-bea				ert	ifie	d pas	sport	cop	y of	the	directo	r/app	lica	nt)			
1.8	If registered, office		egistrati	on														
1.9	Registration Numb																	
1.10	Date of registration																	
1.11	Purpose for which communication is																	
1.12	Do you hold any o																	
	issued by the Auth																	
1.13	If yes, what type o	f lice	ence?															
1.14	Licence Number a	nd D	ate of iss	sue														
2. SI	TE/STATION DETA	AILS																
2.1	Station Name																	
2.2	Station																	
2.3	Location Coordinates	Loti	tude, S	1	T				Ιo	nait	ude,	E						
2.4	Elevation AMSL (ltuuc, 5	<u> </u>					LO	ngn	uuc,	, L]		
2.5	Transportable	(111)		Ra	diu	s if	trans	porta	ble (km)								
2.6	Building height (n	n)							st he									
2.7	Noise		Low No	ise				_				Degree of Noise						
	environment																	
	IPMENT INFORM	ATI()N															
3.1	Manufacturer																	
3.2	Model				1					1	1			_	1			
3.3	Equipment Type: 1. Crys	tal	2 Sol	lid sta	te.		3 I I	nknov	νn		4 F	LL Cor	itrol		5.Syı	nthe	sised	
3.4	Frequency Range			Fro			3.01		* 11			to			3.031		БІБСС	·
3.5	TX/RX 1. Trans	`						Rec	eceiver					3. Both				
3.6	Maximum Rated I							. 1100		•					Both			
3.7	Transmit Power (V																	
3.8	Serial Number																	
ی.ں	Seriai ruilloci																	
4. ANT	ENNA INFORMAT	ION											-					

		_													
4.1	Manufacturer														
4.2	Model														
4.3	Frequency Rang	ge (MF	Hz):	From					To						
4.4	Polarisation														
4.5	Gain (dB)	TX							RX						
4.6	Antenna height	above	groui	nd (m)											
4.7	Directivity				1. Direc	ctiona	.1			2	. Om	ni-di	rectio	nal	
4.8	Azimuth (degre														
4.9	Elevation (degree	ees)													
4.10	3dB Beam Widt	th (deg	grees)												
4.11	ITU-R antenna	referer	nce												
4.12	Antenna Patter									-		ble c	of atter	ıuatior	ı, in
		dB,	agai	nst angle	, or pro	vide <u>c</u>	alibi	ated p	atterr	ı diag	ram.				
5. CO	VERAGE\LINK	(Plea	ise fi	ll in on	e of 5 .	<i>1</i> , <i>5</i> .2	2, ar	d 5.3	3 bel	ow a.	s app	proj	oriate	2)	
			v		v							•			
5.1	Coverage Area	(For l	Single	Station	System,	e.g. I	Broad	lcast S	Station	ı, GSM	1 BT	S)			
5.1.1	Location (e.g.														
0.11.1	village)														
5.1.2	Coverage Radiu	1S													
5.1.3	Please includ	de a d	liagra	am to il	llustra	te th	e ar	ea pro	opos	ed for	r co	vera	ige		
5.2	Station to Stati	ion Lir	nk (e.,	g. microv	vave lin	ks)									
5.2.1	Linked to Statio	n (nam	e)												
5.2.3	Coordinates	Latitud	le, S					Longit	tude, I	Ξ					
5.2.4	Elevation AMS	L(m)			!!										
5.2.5	Building Height	t (m)					Ma	st Heis	ght (m	1)					
5.2.6	Building Height (m) Requipment & Antenna In case these are different from those in 4. & 5., please attach a sheet that														
	Details			lescribes e											
5.3	Link to Geogra	aphic l	Point												
5.3.1	Location														
5.3.2	Coordinates	Latitud	le, S				I	ongit	ude, E	Ē.					
6. FR	EQUENCY ASS	SIGNN	1ENT]	-11	•				<u>"</u>				<u>"</u>	
	Requested frequ				1				1	4	ſ				
0.1	(MHz)	uency i	Kange	;						to					
6.2	Necessary Band	lwidth	(MH	7)	<u> </u>										
6.3	Emission Class								1						
0.3	Annex 1 to describe			ciers in											
6.4	TX/RX		0 /		1. Tra	ansmi	tter		2. I	Receiv	er		3. I	Both	
6.5	Preferred Fred	quency	(MH	(z)											ļ.
6.6	Line Loss (dB)	<u> </u>													
6.7	Minimum Rece	ive Sig	gnal (d	dBW)											
	(Protected Signal)														
	KNOWLEDGEN														
	7.1 The applicant acknowledges the statements in this form and accompanying documents will be relied upon by the Authority, and confirms that to the knowledge and belief of the applicant all such statements								f of th	e app	icant	t all s	such st	tateme	nts
are tru	e and correct.														
		ertakes	s to op	erate the	equipn	nent w	vith a	licenc	ce.						
7.2 T	ne and correct. The applicant under		-												
7.2 T	te and correct. The applicant under the appli	ertakes	to ad	here to tl	he terms	s and	cond	itions	of the				Author	ity ma	цу
7.2 T	ne and correct. The applicant under	ertakes	to ad	here to tl	he terms	s and	cond	itions	of the				Author	ity ma	у
7.2 T 7.3 T	The applicant under the applicant under the applicant under the Conference of the Co	ertakes nmunic	to ad	here to the s Act 201	he terms	s and o	cond plica	itions	of the				Author	ity ma	y
7.2 T 7.3 T	te and correct. The applicant under the appli	ertakes nmunic	to ad	here to the s Act 201	he terms	s and	cond plica	itions	of the				Author	ity ma	y

For Office Use Only
Technical Data validated: Name: Sign: Date:
Assigned Frequency (ies)/Amateur Call Sign
Total Committed Bandwidth:MHz, Power:Watts, Mast Height:m
Name:Date:
ANNEX 1
First Character (Mandatory)
A Double sideband.

A	Double sideband.
В	Independent sidebands.
C	Vestigial sideband.
D	Emission in which the main carrier is amplitude and angle modulated either simultaneously or in a pre-established sequence.
F	Frequency modulation.
G	Phase modulation.
H	Single sideband, full carrier.
J	Single sideband, suppressed carrier.
K	Modulated in amplitude.
L	Modulated in width/duration.
M	Modulated in position/phase.
N	Emission of unmodulated carrier.
P	Sequence of unmodulated pulses.
Q	In which the carrier is angle modulated during the period of the pulse.
R	Single sideband, reduced or variable level carrier.
V	Which is a combination of the foregoing or is produced by other means.
W	Cases not covered above, in which an emission consists of the main carrier modulated, either simultaneously or in a pre-established
	sequence, in a combination of two or more of the following modes: amplitude, angle, pulse.
X	Cases not otherwise covered.

Second Character (Mandatory)

0	No modulating signal.
1	A single channel containing quantized or digital information without the use of a modulating sub-carrier. This excludes time-division
	multiplex.
2	A single channel containing quantized or digital information with the use of a modulating sub-carrier. This excludes time division multiplex.
3	A single channel containing analogue information.
7	Two or more channels containing quantized or digital information.
8	Two or more channels containing analogue information.
9	Composite system with one or more channels containing analogue quantized or digital information, together with one or more channels
	containing analogue information.
X	Cases not otherwise covered.

Third Character (Mandatory)

A	Telegraphy for aural reception.
В	Telegraphy for automatic reception.
C	Facsimile.
D	Data transmission, telemetry, telecommand.
E	Telephony (including sound broadcasting).
F	Television (video).
N	No information transmitted.
W	Combination of the above.
X	Cases not otherwise covered.

Fourth Character (Optional)

Α	Two-condition code with elements of differing numbers and/or durations.
В	Two-condition code without elements of the same number and duration with error-correction.
C	Two-condition code with elements of the same number and duration with error-correction.
D	Four-condition code in which each condition represents a signal element (of one or more bits).
E	Multi-condition code in which each condition represents a signal element (of one or more bits).
F	Multi-condition code in which each condition or combination of conditions represents a character.
G	Sound of broadcasting quality (monophonic).
H	Sound of broadcasting quality (stereophonic or quadrophonic).
J	Sound of commercial quality (excluding categories given in K and L below).
K	Sound of commercial quality with the use of frequency inversion or band-splitting.
L	Sound of commercial quality with separate frequency-modulated signals to control the level of demodulated signal.
M	Monochrome television (video only).
N	Colour television (video only).
W	Combination of the above.
X	Cases not otherwise covered.

Fifth Character (Optional)

,,	<u> </u>
N	No multiplexing employed.
C	Code division multiplex. (This includes bandwidth expansion techniques).
F	Frequency-division multiplex.
T	Time-division multiplex.
W	Combination of frequency-division multiplex and time-division multiplex.
X	Other types of multiplexing.

Source: Ofcom, OfW84 - Guide to class of emissions